In re Janssen et al. Appln. Serial No. 09/942,135 Filed August 29, 2001
Page 2 of 11

In the Claims:

1. (Previously Amended) A computer implemented method for gathering status information in a message queuing transmission system, the method comprising:

forming a first queue group by assigning an input queue group identifier to a first input queue and to a second input queue within a message queuing transmission system;

forming a second queue group by assigning an output queue group identifier to a first output queue and to a second output queue within the message queuing transmission system;

assigning a first queue identifier to the first input queue, a second queue identifier to the second input queue, a third queue identifier to the first output queue, and a fourth queue identifier to the second output queue;

assigning a task identifier to a processing task within the message queuing transmission system that is able to read a plurality of messages from one of the queues in the first queue group and to write a plurality of messages to at least one of the queues in the second queue group;

determining a first number of messages stored in the first input queue, a second number of messages stored in the second input queue, a third number of messages stored in the first output queue, and a fourth number of messages stored in the second output queue;

determining an activation status of the processing task; and
gathering, in a task monitor storage area, the first number of messages stored
in the first input queue, the second number of messages stored in the second input
queue, the third number of messages stored in the first output queue, the fourth
number of messages stored in the second output queue, and the activation status of the
processing task.

- 2. (Original) The method of claim 1, repeating the steps of determining and the step of gathering according to a refresh time interval of a refresh counter.
- 3. (Original) The method of claim 1, further including the step of presenting contents of the task monitor storage area on a display screen.

In re Janssen et al. Appln. Serial No. 09/942,135 Filed August 29, 2001 Page 3 of 11

- 4. (Original) The method of claim 1, further including the step of writing an error message from the processing task to an error-log queue.
- 5. (Original) The method of claim 4, further including the step of presenting the error message on a display screen.
- 6. (Original) The method of claim 1, wherein the first queue identifier, the second queue identifier, the third queue identifier, and the fourth queue identifier are each different.
- 7. (Original) The method of claim 1, wherein the processing task is a background task.
 - 8. (Original) The method of claim 1, further including the steps of: storing the task identifier in a task identifier table;

storing the first queue group identifier and the second queue group identifier in a queues groups table; and

storing the first queue identifier, the second queue identifier, the third queue identifier, and the fourth queue identifier in a queues table.

- 9. (Original) The method of claim 1, further including the step of assigning a reply-to-group identifier to a reply queue for receiving a reply message generated in response to an outgoing message, wherein the reply message is generated by a down-stream software application for receiving the outgoing message.
- 10. (Original) The method of claim 9, wherein the reply message is taken from the reply queue and processed by a reply task.
- 11. (Original) The method of claim 9, further including the step of computing a time interval between writing the outgoing message to an output queue of the message queuing transmission system and writing the reply message to the reply queue.
- 12. (Original) The method of claim 11, further including the step of comparing said time interval with a predetermined time control interval.

In re Janssen et al. Appln. Serial No. 09/942,135 Filed August 29, 2001 Page 4 of 11

13. (Currently Amended) A method of collecting data from a message queuing transmission system, the method comprising:

assigning a first plurality of queues that comprise part of the message queuing transmission system to a first queue group;

assigning a second plurality of queues that comprise part of the message queuing transmission system to a second queue group;

determining the number of messages stored in each queue in the first queue group;

determining the number of messages stored in each queue in the second queue group;

determining an the activation status of at least one of the application processing tasks that implements the message queuing transmission system; and

outputting the determined number of messages stored in each queue in the first queue group, the determined number of messages stored in each queue in the second queue group and the determined activation status of the at least one of the application processing tasks.

- 14. (Previously Presented) The method of Claim 13, wherein the output determined number of messages stored in each queue in the first queue group, the determined number of messages stored in each queue in the second queue group and the determined activation status of the at least one of the application processing tasks is used to monitor the status of at least one external application.
- 15. (Previously Presented) The method of Claim 13, further comprising repeating the steps of determining the number of messages stored in each queue in the first queue group, determining the number of messages stored in each queue in the second queue group, and determining the activation status of at least one of the application processing tasks that implements the message queuing transmission system according to a refresh time interval of a refresh counter.
- 16. (Previously Presented) The method of Claim 13, the method further comprising outputting at least some of a plurality of error messages generated by the at least one of the application processing tasks.

In re Janssen et al. Appln. Serial No. 09/942,135 Filed August 29, 2001 Page 5 of 11

- 17. (Previously Presented) The method of Claim 13, wherein the at least one of the application processing task is a background task.
- 18. (Previously Presented) The method of Claim 13, the method further comprising determining the time elapsed between the time a message is sent from one of the second plurality queues until a reply message is received by a queue that is part of a third queue group.